



Performance Bulletin


YPB#: PB_SHT_Triton240_F250TXR_7-26-06_OCC **Test Date:** 7/26/06



Performance Data

RPM	MPH	GPH	MPG
1000	5.2	1.2	4.33
1500	6.8	1.9	3.58
2000	8.2	2.8	2.93
2500	12.0	3.9	3.08
3000	19.5	5.1	3.82
3500	26.5	6.9	3.84
4000	31.6	8.4	3.76
4500	36.2	11.2	3.23
5000	40.4	13.6	2.97
5500	44.4	16.4	2.71
6100	49.2	20.3	2.42

Seconds to Plane 3.66



Test performed and certified by Yamaha Application Engineers

Boat Manufactured By: Sea Hunt • 5535 Rosebank Court • Lexington, SC 29071 (803) 755-6539 • www.seahuntboats.com



F250TXR

Sea Hunt Triton 240

Length	24' 2"
Beam	8' 6"
Dry Weight (published)	3,200 lbs.
Max HP	300
Fuel Capacity	120 gals.
Weight as Tested (approximate)	4,824 lbs.

Yamaha F250TXR

Horsepower	250
Fuel Induction	Electronic Fuel Injection
Displacement	204.6 cu. in.
Weight	592 lbs.
Gear Ratio	2.00
Mounting Height	#2

Propeller

Series	Saltwater Series II
Diameter/Pitch	15-1/4 x 19
Yamaha Part #	6D0-45970-00-00

Test Conditions

Number of People	2
Air Temperature	95° F
Water Temperature	85° F
Elevation	326 ft.
Wind Velocity	5-10 MPH

Comments:

Test weight includes 1/2 tank of fuel, one battery, optional T-top, safety and test equipment.

Data may vary due to changes in weather, elevation, options and equipment, load and boat bottom conditions. Fuel data gathered with Yamaha's Command Link® fuel management system. Speed data gathered with GPS receiver.

Outboard Manufactured By: Yamaha Motor Corp., USA • OEM Division, Marine Group 1270 Chastain Road NW • Kennesaw, GA 30144 • (800) 88-YAMAHA

For other Performance Bulletins, visit www.yamaha-motor.com.