

Performance Bulletin

YPB#: PB_SHT_Triton290_t_F250TXR_12-19-06_OCC

Test Date: 12/19/06




F250TXR/LF250TXR

Performance Data

RPM	MPH	GPH	MPG
1000	5.5	2.5	2.20
1500	7.9	3.9	2.03
2000	9.5	6.1	1.56
2500	13.5	8.4	1.61
3000	19.2	11.6	1.66
3500	30.0	14.3	2.10
4000	36.1	19.2	1.88
4500	40.6	24.4	1.66
5000	46.1	29.6	1.56
5500	50.9	34.9	1.46
6000	55.5	42.6	1.30

Seconds to Plane **4.75**



Test performed and certified by Yamaha Application Engineers.

Boat Manufactured By:

Sea Hunt • 5535 Rosebank Court • Lexington, SC 29071
(803) 755-6539 • www.seahuntboats.com

Outboard Manufactured By:

Yamaha Motor Corp., USA • OEM Division, Marine Group
1270 Chastain Road NW • Kennesaw, GA 30144 • (800) 88-YAMAHA
For other Performance Bulletins, visit www.yamaha-motor.com.

Sea Hunt Triton 290

Length	29'
Beam	9' 8"
Dry Weight (published)	5,200 lbs.
Max HP	500
Fuel Capacity	240 gals.
Weight as Tested (approximate)	8,819 lbs.

Yamaha F250TXR/LF250TXR

Horsepower	250
Fuel Induction	Electronic Fuel Injection
Displacement	204.6 cu. in.
Weight	592 lbs.
Gear Ratio	2.00
Mounting Height	#2

Propeller

Series	Saltwater Series II
Diameter/Pitch	15 x 21
Yamaha Part #	6D0-45972-00-00 / 6D1-45972-00-00

Test Conditions

Number of People	3
Air Temperature	75° F
Water Temperature	70° F
Elevation	Sea Level
Wind Velocity	5-10 MPH

Comments:

Test weight includes 1/2 tank of fuel, three batteries, hard top, leaning post with tackle center, safety and test equipment.

Note:

Data may vary due to changes in weather, elevation, options and equipment, load and boat bottom conditions. Fuel data gathered with Yamaha's Command Link® fuel management system. Speed data gathered with GPS receiver.